



STANDARD CASEMENT WINDOWS

HINTS TO HELP YOU MEASURE...

Rought Stud Opening (RSO) :

Add 1" to the width & height of window size required

Glass :

Subtract 6" from the width and height of the frame

Glass Light :

Subtract 6.5" from the width and height of the frame size.

FRAME SIZE	20"	20"	40"	60"	80"	80"
	686 mm	686 mm	1372 mm	2058 mm	2744 mm	2744 mm
28" 711 mm						
32" 813 mm						
36" 914 mm						
40" 1016 mm						
48" 1220 mm						
54" 1372 mm						
63" 1600 mm						

FRAME SIZE	24"	24"	48"	72"	96"	96"
	762 mm	762 mm	1524 mm	2286 mm	3048 mm	3048 mm
28" 711 mm						
32" 813 mm						
36" 914 mm						
40" 1016 mm						
48" 1220 mm						
54" 1372 mm						
63" 1600 mm						

x MEETS EGRESS REQUIREMENTS



STANDARD CASEMENT WINDOWS

HINTS TO HELP YOU MEASURE...

Rought Stud Opening (RSO) : Add 1" to the width & height of window size required
Glass : Subtract 6" from the width and height of the frame
Glass Light : Subtract 6.5" from the width and height of the frame size.

FRAME SIZE	27" 686 mm	27" 686 mm	54" 1372 mm	81" 2058 mm	108" 2744 mm	108" 2744 mm
28" 711 mm						
32" 813 mm						
36" 914 mm						
40" 1016 mm						
48" 1220 mm						
54" 1372 mm						
63" 1600 mm						

FRAME SIZE	30" 762 mm	30" 762 mm	60" 1524 mm	90" 2286 mm	120" 3048 mm	120" 3048 mm
28" 711 mm						
32" 813 mm						
36" 914 mm						
40" 1016 mm						
48" 1220 mm						
54" 1372 mm						
63" 1600 mm						

x MEETS EGRESS REQUIREMENTS



STANDARD SINGLE HUNG WINDOWS

HINTS TO HELP YOU MEASURE

Rough Stud Opening (RSO): Add 1" to the width & height of window size required

FRAME SIZE	20" 508 mm	24" 610 mm	28" 711 mm	32" 813 mm	36" 914 mm	40" 1016 mm
30" 762 mm						
34" 864 mm						
38" 966 mm						
42" 1066 mm						
46" 1168 mm						
50" 1270 mm						
54" 1372 mm						
58" 1474 mm						
62" 1574 mm						

FRAME SIZE	40" 1016 mm	48" 1220 mm	56" 1422 mm	64" 1626 mm	72" 1828 mm	80" 2032 mm
30" 762 mm						
34" 864 mm						
38" 966 mm						
42" 1066 mm						
46" 1168 mm						
50" 1270 mm						
54" 1372 mm						
58" 1474 mm						
62" 1574 mm						

x meets egress requirements



STANDARD AWNING WINDOWS

HINTS TO HELP YOU MEASURE...

Rough Stud Opening (RSO) : Add 1" to the width & height of the window size required

Glass : Subtract 6" from the width and height of the frame

Glass Light : Subtract 6.5" from the width and height of the frame size.

FRAME SIZE	32" 813 mm	36" 914 mm	40" 1016 mm	48" 1220 mm
20" 508 mm				
24" 610 mm				
28" 711 mm				
32" 813 mm				

STANDARD PICTURE/AWNING WINDOWS

FRAME SIZE	32" 813 mm	36" 914 mm	40" 1016 mm	48" 1220 mm
60" 1524 mm				
72" 1830 mm				
84" 2133"				
96" 2440 mm				

